

AUX · CABINET HARDWARE



ACCESSORIES

Cabinet Hardware Catalogue

Hinges · Slides · Gas springs · Mechanisms · Wardrobe and kitchen fittings



2026

www.AUX.ir



About AUX

AUX manufactures and supplies fittings for cabinets, wardrobes and kitchens. 119 items across 15 groups, each with its own order code and a drilling or installation drawing.

Every item is chosen against three things: how the mechanism holds up over its opening and closing cycle, whether it fits the sizes Iranian cabinet making actually works to, and whether the movement stays smooth and quiet. The usual material is hardened and plated steel; aluminium and ABS in the lighter parts and the wardrobe fittings.

119

items in 15 groups

106

items with a technical drawing

45

dealers in 34 cities

How to read

- 01** The red code at the head of each page is the **order code**. It is the code used when quoting, invoicing and picking stock.
- 02** The table on each page is **technical data** only. Nothing on it is sales copy.
- 03** The **drilling and installation drawing** sits at the foot of the product page. Dimensions are in millimetres and Ø is a diameter.
- 04** The **QR code** at the foot of the page opens that product at aux.ir. This catalogue is printed in English.



WEBSITE
www.AUX.ir

EMAIL
info@aux.ir

SALES & TECHNICAL ENQUIRIES
45 dealers in 34 cities



AUX.IR

Contents

Individual items are listed on the opening page of their chapter and in the PDF bookmarks.

Concealed Hinges · 12 items	4
Gas Springs & Lift Systems · 9 items	17
Tandem Drawer Runners · 12 items	27
Standard Telescopic Slides · 10 items	40
Soft-Close Telescopic Slides · 5 items	51
Magnetic Telescopic Slides · 5 items	57
Black Telescopic Slides · 8 items	63
Roller Mechanisms · 3 items	72
Wardrobe Fittings · 14 items	76
Kitchen Accessories · 8 items	91
Undermount Sinks · 1 items	100
Power Outlets · 9 items	102
Magnetic Catches · 5 items	112
Locks · 1 items	116
Screws & Fasteners · 17 items	118



01

CHAPTER

Concealed Hinges

12 items · codes 012143 to 0141012

012143 Soft-Close Clip-On Concealed Hinge,...

012252 175° Soft-Close Frog Hinge

012613 Short-Arm Soft-Close Concealed Hinge

014212 Soft-Close Clip-On Concealed Hinge, Full...

014922 Soft-Close Clip-On Hinge for Thick...

0121012 Soft-Close Clip-On Concealed Hinge,...

012212 Soft-Close Concealed Hinge, Screw-On...

012412 135° Corner Hinge, Standard

014152 Free-Swing Concealed Hinge, No Spring

014223 90° Soft-Close Clip-On Hinge

015232 165° Soft-Close Clip-On Corner Hinge


0141012 Soft-Close Concealed Hinge, Black,...

Soft-Close Clip-On Concealed Hinge, Inset

Material	Steel
Opening Angle	105°
Product Weight	100 g
Components	Mounting screws
Warranty	2 years



HINGE CUP & DRILLING



Packing




10 pcs

Qty per Pack



Soft-Close Concealed Hinge, Screw-On Plate

Material	Steel
Opening Angle	105°
Product Weight	85 g
Components	Mounting screws
Warranty	2 years


**HINGE CUP & DRILLING****Packing****2 pcs**

Qty per Pack





175° Soft-Close Frog Hinge

Material	Steel
Opening Angle	175°
Product Weight	190 g
Components	None
Warranty	2 years



HINGE CUP & DRILLING



Packing

1 pc
Qty per Pack




135° Corner Hinge, Standard

Material	Steel
Opening Angle	135°
Product Weight	72 g
Components	None
Warranty	2 years



HINGE CUP & DRILLING



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack





Short-Arm Soft-Close Concealed Hinge

Material	Steel
Opening Angle	105°
Product Weight	73 g
Components	Mounting screws
Warranty	2 years



HINGE CUP & DRILLING



Packing

2 pcs

Qty per Pack




Free-Swing Concealed Hinge, No Spring

Material	Steel
Opening Angle	105°
Product Weight	56 g
Components	Mounting screws
Warranty	2 years



HINGE CUP & DRILLING




Soft-Close Clip-On Concealed Hinge, Full Overlay



Material	Steel
Opening Angle	105°
Product Weight	111 g
Components	Mounting screws with arm and cup covers
Warranty	2 years



HINGE CUP & DRILLING



UNIT : MM Ø : DIAMETER



Packing

2 pcs

Qty per Pack




90° Soft-Close Clip-On Hinge

Material	Steel
Opening Angle	90°
Product Weight	108 g
Components	None
Warranty	2 years



HINGE CUP & DRILLING



UNIT : MM Ø : DIAMETER



Packing

1 pc
Qty per Pack





Soft-Close Clip-On Hinge for Thick Doors, 35 mm Cup

Material	Steel
Opening Angle	105°
Product Weight	120 g
Components	Mounting screws
Warranty	2 years



HINGE CUP & DRILLING



Packing



50

Qty per Pack



165° Soft-Close Clip-On Corner Hinge

Material	Steel
Opening Angle	165°
Product Weight	195 g
Components	None
Warranty	2 years

**HINGE CUP & DRILLING**

UNIT : MM Ø : DIAMETER



Soft-Close Clip-On Concealed Hinge, Black

Material	Steel
Opening Angle	105°
Product Weight	111 g
Components	Mounting screws
Warranty	2 years



Packing

2 pcs

Qty per Pack



Soft-Close Concealed Hinge, Black, Screw-On Plate

Material	Steel
Opening Angle	105°
Product Weight	85 g
Components	Mounting screws
Warranty	2 years



Packing

2 pcs

Qty per Pack





02

CHAPTER

Gas Springs & Lift Systems

9 items · codes 03102 to 03703

03102 Gas Spring Lift, 80 N

03104 Gas Spring Lift, 120 N

03204 Soft-Close Gas Spring Lift, 120 N

03609 HKXS Free-Stop Lift System, Medium

03703 Soft-Close Gas Spring with Two-Way...

03103 Gas Spring Lift, 100 N

03203 Soft-Close Gas Spring Lift, 100 N

03303 Reverse-Action Soft-Close Gas Spring,...


03610 HKXS Free-Stop Lift System, Heavy

Gas Spring Lift, 80 N

Force	90 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



Packing

1 pc
Qty per Pack




Gas Spring Lift, 100 N

Force	110 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



Packing

1 pc

Qty per Pack

Note: This gas spring uses a purpose-designed pin for easier fitting and a brass ring that stops the gas escaping from the cylinder.




Gas Spring Lift, 120 N

Force	130 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack

Note: This gas spring uses a purpose-designed pin for easier fitting and a brass ring that stops the gas escaping from the cylinder.




Soft-Close Gas Spring Lift, 100 N

Force	110 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack

Note: This gas spring uses a purpose-designed pin for easier fitting and a brass ring that stops the gas escaping from the cylinder.




Soft-Close Gas Spring Lift, 120 N

Force	130 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack

Note: This gas spring uses a purpose-designed pin for easier fitting and a brass ring that stops the gas escaping from the cylinder.




Reverse-Action Soft-Close Gas Spring, 100 N

Force	110 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack



HKXS Free-Stop Lift System, Medium

Force	3–4 kg
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



INSTALLATION DIAGRAM

Product installation diagram

Cabinet board and screws positioning/installation.

Warning: Before closing cabinet door, the mechanical arm should be in its extension. Please don't press it down, it will cause injury.

Installation and disassembly diagram

Cabinet support accessories installation.

Disassembly process.

Attention: The product should be used with non-resistance hinges.

Drill hole size of 10.4mm! Install rebound device.

Adjusting the force balance position diagram

Adjusting the hinge to balance the weight of the door panel.

Adjusting the cross screw can control the strength of the product.

Product moment corresponding to panel weight chart

Height (mm)	18mm, 680kg/m ³ Reference										Wood panel width									
	400	450	500	550	600	650	700	750	800	850	900	950	1000	1050	1100	1200				
250	1.2kg	1.4kg	1.5kg	1.7kg	1.9kg	2.0kg	2.1kg	2.2kg	2.4kg	2.6kg	2.8kg	3.0kg	3.2kg	3.4kg	3.6kg	3.7kg				
300	1.0kg	1.2kg	1.3kg	1.5kg	1.7kg	1.8kg	1.9kg	2.0kg	2.2kg	2.4kg	2.6kg	2.8kg	3.0kg	3.2kg	3.4kg	3.5kg				
350	1.7kg	1.9kg	2.1kg	2.3kg	2.5kg	2.7kg	2.9kg	3.1kg	3.3kg	3.5kg	3.7kg	3.9kg	4.1kg	4.3kg	4.5kg	4.6kg				
400	2.0kg	2.2kg	2.4kg	2.7kg	2.9kg	3.1kg	3.3kg	3.5kg	3.7kg	3.9kg	4.1kg	4.3kg	4.5kg	4.7kg	4.9kg	5.0kg				
450	2.2kg	2.4kg	2.7kg	3.0kg	3.2kg	3.4kg	3.6kg	3.8kg	4.0kg	4.2kg	4.4kg	4.6kg	4.8kg	5.0kg	5.2kg	5.3kg				
500	2.4kg	2.7kg	3.0kg	3.3kg	3.5kg	3.7kg	3.9kg	4.1kg	4.3kg	4.5kg	4.7kg	4.9kg	5.1kg	5.3kg	5.5kg	5.6kg				
550	2.7kg	3.0kg	3.3kg	3.6kg	3.8kg	4.0kg	4.2kg	4.4kg	4.6kg	4.8kg	5.0kg	5.2kg	5.4kg	5.6kg	5.8kg	5.9kg				

Note: (mm) Panel height corresponds to bearing weight

Model	250	300	350	400	450	500	550
Bottom steel	1.2kg ~ 6.9kg	1.1kg ~ 5.3kg	1.0kg ~ 3.3kg	0.9kg ~ 2.4kg	0.8kg ~ 1.6kg	0.7kg ~ 1.1kg	0.6kg ~ 0.9kg
Steel	2.8kg ~ 7.4kg	2.4kg ~ 6.3kg	2.1kg ~ 5.7kg	1.8kg ~ 5.1kg	1.6kg ~ 4.4kg	1.4kg ~ 3.9kg	1.2kg ~ 3.4kg

The chart shows the load-bearing capacity of one product. When one product is installed on each side the bearing capacity doubles.

UNIT : MM Ø : DIAMETER



Packing

1 pc
Qty per Pack

Note: A single unit is enough to hold a lift-up door open, and it can be adjusted after fitting.



HKXS Free-Stop Lift System, Heavy

Force	4–6 kg
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



Packing

1 pc

Qty per Pack

Note: A single unit is enough to hold a lift-up door open, and it can be adjusted after fitting.



Soft-Close Gas Spring with Two-Way Adjustment, 100 N

Force	110 N
Components	Gas-spring bracket and mounting hardware
Warranty	2 years



Packing

1 pc

Qty per Pack





03

CHAPTER

Tandem Drawer Runners

12 items · codes 05115 to 052105

05115 Undermount Push-to-Open Tandem Slide,...

05145 Undermount Soft-Close Tandem Slide,...

05255 Tandem Box Drawer Slide, Tall Side,...

051032 Undermount Soft-Close Tandem Slide, Full...

051034 Undermount Soft-Close Tandem Slide, Full...

052085 Slim Tandem Box Drawer Slide, Short...

05125 Undermount Push-to-Open Tandem Slide,...

05245 Tandem Box Drawer Slide, Medium Side,...

051031 Undermount Soft-Close Tandem Slide, Full...

051033 Undermount Soft-Close Tandem Slide, Full...

051035 Undermount Soft-Close Tandem Slide, Full...

052105 Slim Tandem Box Drawer Slide, Tall Side,...


Undermount Push-to-Open Tandem Slide, Full Extension, Synchronised



Technical data

Size	50 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	2 years

INSTALLATION & DIMENSIONS




Undermount Push-to-Open Tandem Slide, Partial Extension, 18 mm



Technical data

Size	50 cm
Slide Bracket	No bracket supplied
Slide Extension	Partial extension
Warranty	2 years

INSTALLATION & DIMENSIONS



Note: This mechanism is intended for deep drawers and heavy loads.




Undermount Soft-Close Tandem Slide, Partial Extension



Technical data

Size	50 cm
Slide Bracket	2 clip-type brackets
Slide Extension	Partial extension
Warranty	1 year

INSTALLATION & DIMENSIONS




Tandem Box Drawer Slide, Medium Side, 125.5 mm, Full Extension



Technical data

Size	50 cm
Slide Bracket	2 brackets, 125 mm
Slide Extension	Full extension
Slide Lock	Two locks holding the door to the slide body
Slide Retainer	2 gallery rails
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER

Note: This mechanism is intended for deep drawers and heavy loads.




Tandem Box Drawer Slide, Tall Side, 175.5 mm, Full Extension




Technical data

Size	50 cm
Slide Bracket	2 long rear brackets
Slide Extension	Full extension
Slide Lock	Two locks holding the door to the slide body
Slide Retainer	4 gallery rails
Warranty	2 years

INSTALLATION & DIMENSIONS




Undermount Soft-Close Tandem Slide, Full Extension, 3D Adjustable, 30 cm




Technical data

Size	30 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	1 year

INSTALLATION & DIMENSIONS




Undermount Soft-Close Tandem Slide, Full Extension, 3D Adjustable, 35 cm



Technical data

Size	35 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	2 years



INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Undermount Soft-Close Tandem Slide, Full Extension, 3D Adjustable, 40 cm



Technical data

Size	40 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Undermount Soft-Close Tandem Slide, Full Extension, 3D Adjustable, 45 cm



Technical data

Size	45 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Undermount Soft-Close Tandem Slide, Full Extension, 3D Adjustable, 50 cm



Technical data

Size	50 cm
Slide Bracket	2 ABS clip-type brackets
Slide Extension	Full extension
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Slim Tandem Box Drawer Slide, Short Side, 89 mm, Full Extension



Technical data

Size	50 cm
Slide Bracket	Metal, 184 mm
Slide Extension	Full extension
Slide Lock	Two locks holding the door to the slide body
Slide Retainer	Slim, left and right hand
Warranty	1 year

INSTALLATION & DIMENSIONS




Slim Tandem Box Drawer Slide, Tall Side, 184 mm, Full Extension



Technical data

Size	50 cm
Slide Bracket	Metal, 184 mm
Slide Extension	Full extension
Slide Lock	Two locks holding the door to the slide body
Slide Retainer	Slim, left and right hand
Warranty	1 year

INSTALLATION & DIMENSIONS





04

CHAPTER

Standard Telescopic Slides

10 items · codes 02101 to 02110

02101 Full-Extension Ball-Bearing Slide, 25...

02103 Full-Extension Ball-Bearing Slide, 35...

02105 Full-Extension Ball-Bearing Slide, 45...

02107 Full-Extension Ball-Bearing Slide, 55...

02109 Full-Extension Ball-Bearing Slide, 65...

02102 Full-Extension Ball-Bearing Slide, 30...



02104 Full-Extension Ball-Bearing Slide, 40...

02106 Full-Extension Ball-Bearing Slide, 50...

02108 Full-Extension Ball-Bearing Slide, 60...

02110 Full-Extension Ball-Bearing Slide, 70...


Full-Extension Ball-Bearing Slide, 25 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	25 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	600 g per pair
Warranty	2 years



INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 30 cm, Chrome



Technical data



Material	Knurled electroplated steel
Size	30 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	720 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




UNIT : MM Ø : DIAMETER



Full-Extension Ball-Bearing Slide, 35 cm, Chrome**Technical data**


Material	Knurled electroplated steel
Size	35 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	840 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS

UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 40 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	40 cm
Thickness	1.2 x 1 x 1
Sheet Width	45 mm
Product Weight	960 g per pair
Warranty	2 years



INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 50 cm, Chrome




Technical data

Material	Knurled electroplated steel
Size	50 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,200 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Full-Extension Ball-Bearing Slide, 55 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	55 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,320 g per pair
Warranty	2 years



INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 60 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	60 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,440 g per pair
Warranty	2 years


INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 65 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	65 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,560 g per pair
Warranty	2 years



INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 70 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	70 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,680 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS





05

CHAPTER

Soft-Close Telescopic Slides

5 items · codes 02202 to 02206

02202 Soft-Close Full-Extension Ball-Bearing...

02204 Soft-Close Full-Extension Ball-Bearing...

02206 Soft-Close Full-Extension Ball-Bearing...

02203 Soft-Close Full-Extension Ball-Bearing...

02205 Soft-Close Full-Extension Ball-Bearing...


Soft-Close Full-Extension Ball-Bearing Slide, 30 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	30 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	840 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Soft-Close Full-Extension Ball-Bearing Slide, 35 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	35 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	980 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Soft-Close Full-Extension Ball-Bearing Slide, 40 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	40 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	1,120 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Soft-Close Full-Extension Ball-Bearing Slide, 45 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	45 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	27.5 g per cm
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Soft-Close Full-Extension Ball-Bearing Slide, 50 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	50 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	1,400 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER





06

CHAPTER

Magnetic Telescopic Slides

5 items · codes 02302 to 02306

02302 Push-to-Open Full-Extension Ball-Bearing...

02304 Push-to-Open Full-Extension Ball-Bearing...

02306 Push-to-Open Full-Extension Ball-Bearing...

02303 Push-to-Open Full-Extension Ball-Bearing...

02305 Push-to-Open Full-Extension Ball-Bearing...


Push-to-Open Full-Extension Ball-Bearing Slide, 30 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	30 cm
Sheet Width	45 mm
Product Weight	1,200 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Push-to-Open Full-Extension Ball-Bearing Slide, 35 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	35 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	980 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Push-to-Open Full-Extension Ball-Bearing Slide, 40 cm, Chrome




Technical data

Material	Knurled electroplated steel
Size	40 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	1,120 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Push-to-Open Full-Extension Ball-Bearing Slide, 45 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	45 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	1,260 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Push-to-Open Full-Extension Ball-Bearing Slide, 50 cm, Chrome



Technical data

Material	Knurled electroplated steel
Size	50 cm
Thickness	1.2 × 1.2 × 1.2
Sheet Width	45 mm
Product Weight	1,400 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER





07

CHAPTER

Black Telescopic Slides

8 items · codes 0241 to 0248

0241 Full-Extension Ball-Bearing Slide, 25...

0243 Full-Extension Ball-Bearing Slide, 35...

0245 Full-Extension Ball-Bearing Slide, 45...

0247 Full-Extension Ball-Bearing Slide, 55...

0242 Full-Extension Ball-Bearing Slide, 30...

0244 Full-Extension Ball-Bearing Slide, 40...

0246 Full-Extension Ball-Bearing Slide, 50...

0248 Full-Extension Ball-Bearing Slide, 60...


Full-Extension Ball-Bearing Slide, 25 cm, Black



Technical data

Material	Steel
Size	25 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	600 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 30 cm, Black



Technical data

Material	Steel
Size	30 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	600 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 35 cm, Black



Technical data

Material	Steel
Size	35 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	840 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 40 cm, Black



Technical data

Material	Steel
Size	40 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	960 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 45 cm, Black



Technical data

Material	Steel
Size	45 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,080 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS




Full-Extension Ball-Bearing Slide, 50 cm, Black



Technical data

Material	Steel
Size	50 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,200 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 55 cm, Black



Technical data

Material	Steel
Size	55 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,320 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER




Full-Extension Ball-Bearing Slide, 60 cm, Black



Technical data


Material	Steel
Size	60 cm
Thickness	1.2 × 1 × 1
Sheet Width	45 mm
Product Weight	1,440 g per pair
Warranty	2 years

INSTALLATION & DIMENSIONS



UNIT : MM Ø : DIAMETER





08

CHAPTER

Roller Mechanisms

3 items · codes 06153 to 16102

06153 Surface-Mounted Sliding Door Roller...

16102 Soft-Close Damper for Sliding Door...


06233 Sliding Door Roller Set with Catch, 80...

Surface-Mounted Sliding Door Roller Set with Catch, 60 kg



Material	Galvanised sheet steel and PTFE
Force	60 kg
Warranty	2 years



TECHNICAL DRAWING



UNIT : MM Ø : DIAMETER




Sliding Door Roller Set with Catch, 80 kg, Black

Material	Steel and PTFE, ball bearings
Force	80 kg
Warranty	2 years





Soft-Close Damper for Sliding Door Rollers, with Activator

Material	ABS plastic
Force	4,000 N
Product Weight	80 kg
Warranty	2 years



TECHNICAL DRAWING





09

CHAPTER

Wardrobe Fittings

14 items · codes 18011 to 1705231

18011 Push-to-Open Pull-Out Mirror

1701213 Belt and Jewellery Rack, 90 cm, Black

1701223 Belt and Jewellery Rack, 90 cm, Honey

1703212 Pull-Out Trousers Rack, Aluminium, 60 cm,...

1703222 Pull-Out Trousers Rack, Aluminium, 60 cm,...

1704215 Pull-Down Wardrobe Lift, Plus, 85–120...

1704315 Pull-Down Wardrobe Lift, Economy, 85–120...

1701212 Belt and Jewellery Rack, 60 cm, Black

1701222 Belt and Jewellery Rack, 60 cm, Honey

1702231 Damped Top-Mounted Hanging Rail,...


1703213 Pull-Out Trousers Rack, Aluminium, 90 cm,...

1703223 Pull-Out Trousers Rack, Aluminium, 90 cm,...

1704314 Pull-Down Wardrobe Lift, Economy,...

1705231 Folding Rotary Ironing Board

Push-to-Open Pull-Out Mirror




Technical data

Size 40 × 5.5 × 100 cm

Components Mirror, slide, rotating chain and adapter

Warranty 1 year


INSTALLATION



UNIT : MM Ø : DIAMETER



Belt and Jewellery Rack, 60 cm, Black




Technical data


Material	Aluminium
Size	60 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION

2 Components name



Picture 1: multiply functions box 600/800/900/1000



4

UNIT : MM Ø : DIAMETER



Belt and Jewellery Rack, 90 cm, Black




Technical data


Material	Aluminium
Size	90 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION

2 Components name



Picture 1: multiply functions box 600/800/900/1000





4

UNIT : MM Ø : DIAMETER




Belt and Jewellery Rack, 60 cm, Honey




Technical data

Material	Aluminium
Size	60 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION




Belt and Jewellery Rack, 90 cm, Honey



Technical data

Material	Aluminium
Size	90 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



UNIT : MM Ø : DIAMETER




Damped Top-Mounted Hanging Rail, Single Row, Grey



Technical data

Material	Aluminium and plastic
Size	45 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



UNIT : MM Ø : DIAMETER



Pull-Out Trousler Rack, Aluminium, 60 cm, Black



Technical data

Material	Aluminium
Size	60 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



Pull-Out Trousler Rack, Aluminium, 90 cm, Black



Technical data

Material	Aluminium
Size	90 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



Pull-Out Trousler Rack, Aluminium, 60 cm, Honey



Technical data

Material	Aluminium
Size	60 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



Pull-Out Trousler Rack, Aluminium, 90 cm, Honey



Technical data

Material	Aluminium
Size	90 cm
Slide Type	Tandem
Warranty	1 year

INSTALLATION



Pull-Down Wardrobe Lift, Plus, 85–120 cm, Black



Technical data

Material	Aluminium / PVC
Size	85–120 cm
Warranty	1 year

INSTALLATION

Double Arm Soft Closing Wardrobe Lift Sheet

1 Left & Right Ass.

Set the installation position on both sides of the cabinet acc. to the product size. The main parts on both sides should be installed horizontally and in the same depth. Then take out 8pcs 4x20mm flat head screws from the accessory bag to fix the main parts of the wardrobe lift, and finally pull down the square tube to the horizontal direction

2 Angle Adjustment Accessories Ass.

When installing on the back, rotate the lever arm 90 degrees and insert the angle adjustment accessory into the lever arm as shown in the diagram.

3 Cross bar Ass.

Rotate the circular tubes at both ends by hand acc. to the width of the cabinet, adjust the length of the cross bar in the direction of 2 as shown in the figure to the appropriate size, and then select the length of the circular tubes at both ends to lock the cross bar in the direction of 1.3 as shown in the figure, then install the joints at both ends and insert them into the main square tube, lock two $\varnothing$ 8x35mm screws, and lock them with

4 Pull Rod & Cross

Insert the pull rod into the cross bar trident link and fix it with M4*6mm screws


5 Accessories List

1. Left/Right Main Parts	1Sets
2. Cross bar	1Sets
3. Pull Rod & Cross Bar	1Sets
4. Square Tubes	2Pieces
5. Fixing Plate	4Pieces
6. Screw Packing	
M8*35MM 2pcs	Alley Key 1pcs
$\varnothing$ 4.0x20 screw 16 pcs,	$\varnothing$ 4x6 Screw 1pcs

UNIT : MM Ø : DIAMETER



Pull-Down Wardrobe Lift, Economy, 60–85 cm, Black



Technical data

Material	PVC
Size	60–85 cm
Warranty	1 year

INSTALLATION

Wardrobe Lifter

Instruction Sheet

1 Fix both left and right system by at least 8PCS fixing screw on each system, for better result, please fix 12pcs screws on each system. Pls. make sure the left and right system symmetrical in vertical and horizontal Place.

2 Assemble the main pole to the hanging pole by using the M3screw. Pls. make sure the main pole is in the middle place when you pull down lift.

3 Fix the handle to the main pole by using the M3 screw, and adjust the length Of the hanging pole 9cm less than the inside width of the wardrobe.

4 Pull down the arm of the system and place the plastic bracket on both side. Insert the hanging pole to the bracket and fix it together by using the hexagon screw.


Inside this book:

- Hanging pole
- Plastic bracket x2
- Relative screws
- Hexagon key
- Left and right system
- Main pole with handle

UNIT : MM Ø : DIAMETER



Pull-Down Wardrobe Lift, Economy, 85–120 cm, Black



Technical data

Material	PVC
Size	85–120 cm
Warranty	1 year

INSTALLATION

Wardrobe Lifter

Instruction Sheet

1 Fix both left and right system by at least 8PCS fixing screw on each system, for better result, please fix 12pcs screws on each system. Pls. make sure the left and right system symmetrical in vertical and horizontal Place.

2 Assemble the main pole to the hanging pole by using the M3screw. Pls. make sure the main pole is in the middle place when you pull down lift.

3 Fix the handle to the main pole by using the M3 screw, and adjust the length Of the hanging pole 9cm less than the inside width of the wardrobe.

4 Pull down the arm of the system and place the plastic bracket on both side. Insert the hanging pole to the bracket and fix it together by using the hexagon screw.

Inside this book:

- Hanging pole
- Plastic bracket x2
- Relative screws
- Hexagon key
- Left and right system
- Main pole with handle

UNIT : MM Ø : DIAMETER



Folding Rotary Ironing Board



Technical data

Material	PVC / Aluminium
Slide Type	Tandem
Warranty	1 year

INSTALLATION

Description of ironing board

Product introduction

The ironing board is installed in closet. You only have to pull out and unfold it which can be rotated 180 degrees when using, and then fold and push it into closet after using. The functions of spreading out and retracting are achieved by the using of pneumatic equipment. This ironing board is not only ingenious and firm but also beautiful and durable, and room can be saved. 8PCS 4*16 bolts are attached to the product. The outlook size of the ironing board in contraction state is as follows: width 300mm, height 140mm, length 430mm. N.W: 8kg. Package size: 450mm*310mm*170mm.

2

Installment instruction

Installing the product according to the name of assembly units marked in the product drawing and follow these steps: Firstly, drawing lines according to the nail-hole size chart to find the location of any nail-hole and marking it in the board. Secondly, holding the back bracket with a hand and pulling out the iron box with another hand (the moving distance is 390mm) to expose the internal nail hole, and then screw a bolt. Thirdly, putting the board in the right place and screw in the remaining 3 pieces bolts. Fourthly, losing the nut and catching the board with 90 degrees in any direction to expose the nail-hole of front-bracket. Finally, screw 4 pieces bolts in the front bracket.

3

UNIT : MM Ø : DIAMETER



CHAPTER

Kitchen Accessories

8 items · codes 13111 to 1411263

13111 Drawer Organiser, 45 cm, Cutlery Tray

13116 Drawer Organiser, 90 cm, Cutlery Tray

1112113 Stainless Steel Dish Rack, Single...

1411243 Pull-Out Waste Bin, Two Bins, 30 L...



13113 Drawer Organiser, 60 cm, Cutlery Tray

1112112 Stainless Steel Dish Rack, Single...

1411112 Pull-Out Waste Bin, Single 15 L Bin,...

1411263 Pull-Out Waste Bin, Two Bins, 40 L...


Drawer Organiser, 45 cm, Cutlery Tray




Technical data

Material	PVC
Size	45 × 49 cm
Mounting Position	50 cm deep, 45 cm wide
Warranty	2 years

INSTALLATION




Drawer Organiser, 60 cm, Cutlery Tray





Technical data

Material	PVC
Size	60 × 49 cm
Mounting Position	50 cm deep, 60 cm wide
Warranty	2 years

INSTALLATION




Drawer Organiser, 90 cm, Cutlery Tray



Technical data

Material	PVC
Size	90 × 49 cm
Mounting Position	50 cm deep, 90 cm wide
Warranty	2 years

INSTALLATION



Stainless Steel Dish Rack, Single Tier, 90 cm



Technical data

Material	304 stainless steel
Size	90 cm wide
Mounting Position	Inside the wall cabinet
Components	Stainless steel tray with a plate-holder arm
Warranty	1 year

INSTALLATION

Fixing Instruction for A01 Series-Plate & Dish Holder

1. Accessories :

A 1PCS B 1PCS C 1PCS

2. Specification & Cabinet Width :

Specification (mm)	Cabinet Width
280*365*65	400
280*415*65	450
280*465*65	500
280*515*65	550
280*565*65	600
280*615*65	650
280*665*65	700
280*715*65	750
280*765*65	800
280*815*65	850
280*865*65	900
280*915*65	950
280*965*65	1000

3. Fixing Step :

(1) : Choose a suitable cabinet according to the specification of particular products (Please refer to drawing 1) :

(2) : Drill the side-board of the cabinet then fix accessory "A", "B" one by one as the following drawings.

(3) : Remarks :

a. Size "A" & Size "B" are based on high of cabinet. The following size are for your reference :

A=275mm , B=300mm (Both Size for reference only) L=225mm

b. Depth of 4-Φ10 hole is 7-9mm, please be careful that the side-board of cabinet not to be drilled through.

UNIT : MM Ø : DIAMETER



Stainless Steel Dish Rack, Single Tier, 100 cm



Technical data

Material	304 stainless steel
Size	100 cm wide
Mounting Position	Inside the wall cabinet
Components	Stainless steel tray with a folding plate-holder arm
Warranty	1 year

INSTALLATION

Fixing Instruction for A01 Series-Plate & Dish Holder

1. Accessories :

A 1PCS B 1PCS C 1PCS

2. Specification & Cabinet Width :

Specification (mm)	Cabinet Width
280*365*65	400
280*415*65	450
280*465*65	500
280*515*65	550
280*565*65	600
280*615*65	650
280*665*65	700
280*715*65	750
280*765*65	800
280*815*65	850
280*865*65	900
280*915*65	950
280*965*65	1000

3. Fixing Step :

(1) : Choose a suitable cabinet according to the specification of particular products (Please refer to drawing 1) :

(2) : Drill the side-board of the cabinet then fix accessory "A", "B" one by one as the following drawings.

(3) : Remarks :

a. Size "A" & Size "B" are based on high of cabinet. The following size are for your reference :

A=275mm, B=300mm (Both Size for reference only) L=225mm

b. Depth of 4-φ10 hole is 7-9mm, please be careful that the side-board of cabinet not to be drilled through.

UNIT : MM Ø : DIAMETER




Pull-Out Waste Bin, Single 15 L Bin, Soft Close



Technical data

Material	PVC
Size	31 × 36 × 26 cm
Capacity	15 L
Number of Bowls	Single bowl
Mounting Position	Under the sink, below the trap

INSTALLATION



UNIT : MM Ø : DIAMETER




Pull-Out Waste Bin, Two Bins, 30 L Total, Soft Close



Technical data

Material	PVC
Size	31 × 49 × 34
Capacity	30 L
Number of Bowls	Two bowls
Mounting Position	Under-sink cabinet

INSTALLATION



UNIT : MM Ø : DIAMETER




Pull-Out Waste Bin, Two Bins, 40 L Total, Soft Close



Technical data

Material	PVC
Size	43 × 49 × 34 cm
Capacity	40 L
Number of Bowls	Two bowls
Mounting Position	Inside the cabinet

INSTALLATION



UNIT : MM Ø : DIAMETER



CHAPTER

Undermount Sinks

1 items · codes 09020203 to 09020203

09020203 Handmade Undermount Sink, 76 × 50 cm,...

Handmade Undermount Sink, 76 × 50 cm, Gun Metal, with Waterfall Pull-Out Tap




Technical data

Material	Scratch-resistant 304 stainless steel
Size	Top-mount 50 × 76 cm
Thickness	3 mm
Product Weight	10.6 kg
Components	Dual waterfall tap, temperature control, soap dispenser, fruit basket and chopping board
Warranty	1 year

DIMENSIONS & CUT-OUT

DIMENSIONS: 7546WV
750*460*220MM



Unit: mm

Note: The dimensions is manually measured, there may be an error, pls refer to the actual product.

UNIT : MM Ø : DIAMETER





12

CHAPTER

Power Outlets

9 items · codes 121111 to 121452

121111 Pop-Up Recessed Power Outlet, Model...

121131 Pop-Up Recessed Power Outlet, Model...

121141 Recessed Desktop Power Outlet, Model...

121321 Wireless Charging Socket, 15 W, with USB...

121452 Sliding Recessed Power Outlet, Model...

121112 Pop-Up Recessed Power Outlet, Model...

121132 Pop-Up Recessed Power Outlet, Model...

121142 Recessed Desktop Power Outlet, Model...

121451 Sliding Recessed Power Outlet, Model...

Pop-Up Recessed Power Outlet, Model 2017, Black

Top-Mount Size 118 × 265 mm

Standard Power Socket 2 pcs

USB Ports 1 pc


USB Type-C Port 1 pc

Power Cable 1.5 m

Warranty 1 year



PANEL & CUT-OUT SIZE



Packing

1 pc

Qty per Pack

Note: Recessed dashboard-style outlet with a 1.5 m lead, 2 power sockets and 2 USB ports, suited to office desks.



Pop-Up Recessed Power Outlet, Model 2017, Silver

Top-Mount Size 118 × 265 mm

Standard Power Socket 2 pcs

USB Ports 1 pc



USB Type-C Port 1 pc

Power Cable 1.5 m

Warranty 1 year



PANEL & CUT-OUT SIZE



Packing

1 pc

Qty per Pack

Note: Recessed dashboard-style outlet with a 1.5 m lead, 2 power sockets and 2 USB ports, suited to office desks.



Pop-Up Recessed Power Outlet, Model 2020, Black

Size 155 × 260 mm

Standard Power Socket 2 pcs

Universal Power Socket 1 pc

USB Ports 2 pcs


USB Type-C Port 1 pc

Power Cable 1.5 m

Warranty 1 year



PANEL & CUT-OUT SIZE



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack

Note: Fitted with 2 power sockets, 1 universal socket, 2 USB ports and 1 USB Type-C port.



Pop-Up Recessed Power Outlet, Model 2020, Silver

Size 155 × 260 mm

Standard Power Socket 2 pcs

Universal Power Socket 1 pc

USB Ports 2 pcs


USB Type-C Port 1 pc

Power Cable 1.5 m

Warranty 1 year



PANEL & CUT-OUT SIZE



UNIT : MM Ø : DIAMETER



Packing

1 pc

Qty per Pack

Note: Fitted with 2 power sockets, 1 universal socket, 2 USB ports and 1 USB Type-C port.



Recessed Desktop Power Outlet, Model 2016, Black

Top-Mount Size 118 × 265 mm

Standard Power Socket 3 pcs

Power Cable 1.5 m

Warranty 1 year



Packing

1 pc

Qty per Pack




Recessed Desktop Power Outlet, Model 2016, Silver

Top-Mount Size 118 × 265 mm

Standard Power Socket 3 pcs

Power Cable 1.5 m

Warranty 1 year



Packing

1 pc

Qty per Pack



Wireless Charging Socket, 15 W, with USB Port

USB Ports	1 pc
Wireless Charger	1 pc
Power Cable	1.8 m
Warranty	1 year



Packing

1 pc

Qty per Pack



Sliding Recessed Power Outlet, Model 2018, Black

Standard Power Socket 2 pcs

USB Ports 1 pc

USB Type-C Port 1 pc

Wireless Charger 1 pc

Power Cable 1.5 m

Warranty 1 year



Packing

1 pc

Qty per Pack



Sliding Recessed Power Outlet, Model 2018, Silver

Standard Power Socket 2 pcs

USB Ports 1 pc

USB Type-C Port 1 pc

Wireless Charger 1 pc

Power Cable 1.5 m

Warranty 1 year





Packing

1 pc

Qty per Pack





13

CHAPTER

Magnetic Catches

5 items · codes 0712 to 07123

0712 Push-to-Open Pencil Catch, White

07112 Dual-Function Push-to-Open Catch, Inset


07123 Push-to-Open Catch, Aluminium Cased

07111 Push-to-Open Butterfly Catch,...

07114 Push-to-Open Cross-Plate Catch with...

0712**Push-to-Open Pencil Catch, White**


Material	ABS plastic
Force	15 N
Components	3M adhesive pad and mounting screws
Warranty	2 years
Qty per Pack	1 pc



UNIT : MM

07111**Push-to-Open Butterfly Catch, Surface-Mounted**

Material	ABS plastic
Force	20 N
Components	3M adhesive pad and mounting screws
Warranty	2 years
Qty per Pack	1 pc




UNIT : MM



07112**Dual-Function Push-to-Open Catch, Inset**

Material	ABS plastic
Force	20 N
Components	3M adhesive pad and mounting screws
Warranty	2 years
Qty per Pack	1 pc



UNIT : MM

07114**Push-to-Open Cross-Plate Catch with Latch**

Material	ABS plastic
Force	30 N
Components	Catch and mounting screws
Warranty	2 years
Qty per Pack	1 pc




UNIT : MM



07123
Push-to-Open Catch, Aluminium Cased

Material	Aluminium
Force	35 N
Components	3M adhesive pad and mounting screws
Warranty	2 years
Qty per Pack	1 pc



UNIT : MM





14

CHAPTER

Locks

1 items · codes 08111 to 08111

08111 Single-Step Drawer Lock, Ronis...

Single-Step Drawer Lock, Ronis Pattern, Ø19 × 22 mm

Material Iron and brass


Size Ø19 × L22

Product Weight 42 g

Warranty 1 year



TECHNICAL DRAWING



UNIT : MM Ø : DIAMETER





15

CHAPTER

Screws & Fasteners

17 items · codes 041101 to 0420401

041101 MDF Screw, Cross-Recess, 4 × 16 mm,...

041103 MDF Screw, Cross-Recess, 4 × 25 mm,...

041105 MDF Screw, Cross-Recess, 4 × 30 mm,...

041116 MDF Screw, Cross-Recess, 4 × 40 mm,...

042113 MDF Screw, Cross-Recess, 4.2 × 16 mm,...

042209 Chipboard Screw, Cross-Recess, 6 × 70...

042301 Self-Drilling Screw with Flange Head,...

042414 Three-Part Mini-Fix Connector Bolt,...

0420401 Self-Drilling Screw, 4 × 16 mm, Bright...

041102 MDF Screw, Cross-Recess, 4 × 20 mm,...

041104 MDF Screw, Cross-Recess, 4 × 28 mm,...

041112 MDF Screw, Cross-Recess, 4 × 50 mm,...

041117 MDF Screw, Cross-Recess, 4.2 × 50 mm,...

042115 MDF Screw, Cross-Recess, 4 × 16 mm,...

042210 Chipboard Screw, Cross-Recess, 6 × 80...

042319 Self-Drilling Screw with Flange Head,...

042518 Cabinet Fixing Screw, 6 × 30 mm, Chrome


041101**MDF Screw, Cross-Recess, 4 × 16 mm, Black**

Material Hardened steel

Hardness 4.2 Rockwell

Size 1.6 cm

Thickness 4 mm



UNIT : MM


041102**MDF Screw, Cross-Recess, 4 × 20 mm, Black**

Material Hardened steel

Hardness 4.2 Rockwell

Size 2 cm

Thickness 4 mm



UNIT : MM




041103**MDF Screw, Cross-Recess, 4 × 25 mm, Black**

Material Hardened steel

Hardness 4.2 Rockwell

Size 2.5 cm

Thickness 4 mm



UNIT : MM


041104**MDF Screw, Cross-Recess, 4 × 28 mm, Black**

Material Hardened steel

Hardness 4.2 Rockwell

Size 2.8 cm

Thickness 4 mm




UNIT : MM



041105

MDF Screw, Cross-Recess, 4 x 30 mm, Black

Material	Hardened steel
Hardness	4.2 Rockwell
Size	3 cm
Thickness	4 mm




UNIT : MM

041112

MDF Screw, Cross-Recess, 4 x 50 mm, Black

Material	Hardened steel
Hardness	4.2 Rockwell
Size	5 cm
Thickness	4 mm



UNIT : MM




041116**MDF Screw, Cross-Recess, 4 × 40 mm, Black**

Material Hardened steel


Hardness 4.2 Rockwell

Size 4 cm

Thickness 4 mm

**FLAT HEAD TWINFAST WOOD SCREWS**

Thread size	4	5	6	7	8	10	12
dk	5.48	6.19	6.90	7.62	8.33	9.75	11.17
k	1.66	1.90	2.13	2.36	2.53	3.01	3.44
n	0.86	1.06	1.06	1.26	1.26	1.26	1.66
Cross	No	1	2	2	2	2	3
Recess	m	2.74	3.50	4.22	4.22	4.60	4.98
L(mm)	1/4-1	5/16-1 1/4	7/16-2	1/2-2 1/4	5/8-3	3/4-4	1-4



Thread size	4	6	7	8	10	12
dk	5.21-5.46	6.50-6.78	7.14-7.44	7.77-8.10	9.07-9.47	10.34-10.77
k	1.85-2.06	2.29-2.54	2.51-2.77	2.72-3.0	3.18-3.45	3.61-3.91
Cross	No	1	2	2	2	3
Recess	m	2.90	3.91	4.11	4.27	4.67
L(in)	1/2-1	1/2-2	1/2-2	1/2-4	1-4	1-6

UNIT : MM


041117**MDF Screw, Cross-Recess, 4.2 × 50 mm, Black**

Material Hardened steel

Hardness 4.2 Rockwell

Size 5 cm

Thickness 4 mm

**PRODUCT SPECIFICATIONS**

Part Length	Head Diameter	Part Length	Head Diameter	Head Diameter	Head Diameter	Head Diameter
1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
1"	1"	1"	1"	1"	1"	1"
1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"
1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
2"	2"	2"	2"	2"	2"	2"
2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"
3"	3"	3"	3"	3"	3"	3"
3 1/2"	3 1/2"	3 1/2"	3 1/2"	3 1/2"	3 1/2"	3 1/2"
4"	4"	4"	4"	4"	4"	4"
4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
5"	5"	5"	5"	5"	5"	5"
5 1/2"	5 1/2"	5 1/2"	5 1/2"	5 1/2"	5 1/2"	5 1/2"
6"	6"	6"	6"	6"	6"	6"

UNIT : MM




042113**MDF Screw, Cross-Recess, 4.2 × 16 mm, White**

Material Hardened steel

Hardness 4.2 Rockwell

Size 1.6 cm

Thickness 4.2 mm



UNIT : MM

042115**MDF Screw, Cross-Recess, 4 × 16 mm, Chrome**

Technical data for this product is being completed.




042209**Chipboard Screw, Cross-Recess, 6 × 70 mm, Chrome**

Material Hardened steel

Hardness 7 Rockwell

Size 7 cm

Thickness 6 mm

**DRYWALL SCREW**

STANDARD: DIN, ANSI, BS

MATERIAL: STEEL C1022

HARDNESS OF CORE: 300-450 HV

HARDNESS OF SURFACE: 550-750 HV

FINISH: ZINC PLATED, PHOSPHATED

GAUGE #6/3.5 #7/3.9 #8/4.2 #10/4.8

LENGTH 13-60 13-64 16-80 16-152

UNIT : MM



042210**Chipboard Screw, Cross-Recess, 6 × 80 mm, White**

Material Hardened steel

Hardness 7 Rockwell

Size 8 cm

Thickness 6 mm

**DRYWALL SCREW**

STANDARD: DIN, ANSI, BS

MATERIAL: STEEL C1022

HARDNESS OF CORE: 300-450 HV

HARDNESS OF SURFACE: 550-750 HV

FINISH: ZINC PLATED, PHOSPHATED

GAUGE #6/3.5 #7/3.9 #8/4.2 #10/4.8

LENGTH 13-60 13-64 16-80 16-152

UNIT : MM




042301**Self-Drilling Screw with Flange Head, 4 × 16 mm, Chrome**

Material Hardened steel

Hardness 4.2 Rockwell

Size 1.6 cm

Thickness 4.2 mm



UNIT : MM


042319**Self-Drilling Screw with Flange Head, 4.2 × 25 mm, Chrome**

Material Hardened steel

Hardness 4.2 Rockwell

Size 2.5 cm

Thickness 4.2 mm



UNIT : MM



042414**Three-Part Mini-Fix Connector Bolt, 6.2 × 32 mm, White**

Material	Plastic and stainless steel
-----------------	-----------------------------

Hardness	7 Rockwell
-----------------	------------

Size	32 mm
-------------	-------

Thickness	6.2 mm
------------------	--------

Mounting Position	Corner unit connection
--------------------------	------------------------

**042518****Cabinet Fixing Screw, 6 × 30 mm, Chrome**

Material	Hardened steel
-----------------	----------------

Hardness	7 Rockwell
-----------------	------------


Size	3 cm
-------------	------

Thickness	6 mm
------------------	------



0420401
Self-Drilling Screw, 4 × 16 mm, Bright Chrome

Material	Hardened steel
Hardness	4.2 Rockwell
Size	1.6 cm
Thickness	4.2 mm



UNIT : MM






Cabinet hardware, from one source

45 sales representatives in 34 cities

www.AUX.ir · info@aux.ir



Current specifications
and photographs for
every item